



Pos.	DESCRIPTION - NOTE	Code spare	Qty	Pos.	DESCRIPTION - NOTE	Code spare	Qty
5	FOR ROTARY PLOUGH CODE DR4 AND SR4 (*)	10021		69	FLANGE: (FOR BCS TWO-WHEEL TRACTORS)		
6	FOR ROTARY PLOUGH CODE DR3 AND SR3 (*)	10022			TYPE A) FOR BCS MODEL: 715 - 725 - 735 - 737 -745 -	12001	
7	FOR ROTARY PLOUGH CODE DR2 AND SR2 (*)	10023			720 - 730 - 740 - 746		
8	FOR ROTARY PLOUGH CODE DR4 AND SR4 (*)	10024			TYPE B) FOR BCS MODEL: 755	12002	
9	FOR ROTARY PLOUGH CODE DR3 AND SR3 (*)	10025			TYPE C) FOR BCS MODEL: 760	12003	
10	FOR ROTARY PLOUGH CODE DR2 AND SR2 (*)	10026					
30	FOR ROTARY PLOUGH CODE DR4 , DR3 AND DR2 (*)	10006					
31	FOR ROTARY PLOUGH CODE SR4 , SR3 AND SR2 (*)	10007					
43	FOR ROTARY PLOUGH CODE DR4 , DR3 AND DR2 (*)	10010					
44	FOR ROTARY PLOUGH CODE SR4 , SR3 AND SR2 (*)	10011					
					(*) :		
					ROTARY PLOUGH CODE DR4 AND ETC. MEANS:		
					"DR" = DESTRO = RIGHT-HAND PTO ROTATION		
					"SR" = SINISTRO = LEFT-HAND PTO ROTATION		
					THE NUMBERS "4", "3", "2" ARE THE GEAR REDUCTION		
					RATIO IN THE GEAR BOX.		
68	COUPLING BOX: (FOR BCS TWO-WHEEL TRACTORS)						
	TYPE A) MALE INVOLUTE SPLINE PROFILE 12 TEETH	11001					
	FOR BCS MODEL: 715 - 725 - 735 - 737						
	TYPE B) FRONTAL WITH 3 PLANE TEETH	11002					
	FOR BCS MODEL: 737 - 745						
	TYPE C) FRONTAL WITH 3 POINTED TEETH	11003					
	FOR BCS MODEL: 720-730-740-746-620-630-640-650						
	TYPE D) FRONTAL WITH 3 PLANE TEETH, LONGER	11004					
	THAN TYPE B						
	FOR BCS MODEL: 755						
	TYPE E) FEMALE INVOLUTE SPLINE PROFILE 12 TEETH	11005					
	FOR BCS MODEL: 760						

Pos.	DESCRIPTION	Code spare	Qnt	Pos.	DESCRIPTION	Code spare	Qnt
1	GEAR BOX	10001	1	40	HEXAGON HEAD SCREW M10x25 - DIN 933	2008	2
2	OIL RETAINER 30x45x8	6004	1	41	INNER DENTICULATE WASHER FOR Ø10 - DIN 6798 J	4007	6
3	TAPER ROLLER BEARING 30206	5010	2	42	FELT WASHER	10020	1
4	KEY-SPLINE	10017	1	43	HUB SUPPORTING PLOWSHARE (right-hand) read note	10010	1*
5	Vertical shaft with gear wheel Z=32 teeth read note	10021	1*	44	HUB SUPPORTING PLOWSHARE (left-hand) read note	10011	1*
6	Vertical shaft with gear wheel Z=27 teeth read note	10022	1*	45	ROTATING BLADE FOR GRASS CUTTING	10013	2
7	Vertical shaft with gear wheel Z=20 teeth read note	10023	1*	46	FLAT AND SOCKET HEAD SCREW M10x35 DIN 7991	2701	4
8	PINION GEAR Z= 8 TEETH read note	10024	1*	47	RIGHT-HAND PLOWSHARE	10014	4
9	PINION GEAR Z= 9 TEETH read note	10025	1*	48	LEFT-HAND PLOWSHARE	10015	4
10	PINION GEAR Z= 10 TEETH read note	10026	1*	49	CHANGEABLE TIP	10016	4
11	SHIM ADJUSTMENT RING 30,5x50x0,1	10018	1	50	NUT M8 (high thickness) UNI 5587	3004	8
12	GEAR BOX COVER	10002	1	51	FLAT AND SOCKET HEAD SCREW M12x35 DIN 7991 008	2702	4
13	HEXAGON HEAD SCREW M8x25 - DIN 933	2003	6	52	WASHER 12x35x10,5	10027	1
14	MAIN PROTECTION COVER	10003	1	53	INNER DENTICULATE WASHER FOR Ø12 - DIN 6798 J	4008	5
15	LABEL PRODUCT IDENTIFICATION CE	1012	1	54	HEXAGON HEAD SCREW M12x35 - DIN 933	2021	1
16	LABEL "warning rotating organs"	1004	1	55	PLASTIC CAP	8007	1
17	LABEL "keep distance"	1005	1	56	NEEDLE BEARING NK 28/20	5011	1
18	LABEL "read instruction manual"	1013	1	57	HINGE FOR MAIN COVER PROTECTION	10028	1
19	SELF-LOCKING NUT M10 (low thickness) DIN 985	3501	1	58	HEXAGON HEAD SCREW M12x200 - DIN 931	2021	1
20	ROD IRON FOR LATERAL SAFETY GUARD	10019	1	59	SELF-LOCKING NUT M12 (high-thickness) DIN 982	3506	1
21	HEXAGON HEAD SCREW M10x20 - DIN 933	2010	2	60	STUD BOLT M12x80	8008	2
22	NUT M10 (high thickness) DIN 5587	3003	7	61	NUT M12 (high thickness) UNI 5587	3005	2
23	REAR ARTICULATED COVER	10004	1	62	NUT M12 (middle thickness) DIN 934	3006	2
24	RUBBER GUARD	10005	1	63	HEXAGON HEAD SCREW M12x30 - DIN 933	2022	2
25	RIVET DIN 7337 Ø 3,9x12	7019	8	64	OIL RETAINER 28x47x10	6006	1
26	WASHER 4,5x16x1,5	4006	8	65	BEARING 6205 2RS 25x52x16	5005	1
27	RUBBER BUSH	9035	2	66	O-RING 3187	7017	1
28	RUBBER BUFFER	8005	2	67	GRUB-SCREW M8x10 DIN 914-45H	7016	3
29	KEY-SPLINE 6x6x25	7018	1	68	COUPLING BOX	read note	1
30	REAR RIGHT-HAND SUPPORT read note	10006	1*	69	FLANGE	read note	1
31	REAR LEFT-HAND SUPPORT read note	10007	1*				
32	INNER DENTICULATE WASHER FOR Ø8 - DIN 6798 J	4004	7				
33	HEXAGON HEAD SCREW M8x20 - DIN 933 (Tutto fusto)	2017	15				
34	FAST PIN Ø 8x45	8006	1				
35	ADJUSTABLE ROD WITH WHEEL	10008	1				
36	HEXAGON HEAD SCREW M10x30 - DIN 933	2020	1				
38	RING FOR GRASS ANTIROLLING UP	10009	1				
39	FIXED BLADE FOR GRASS CUTTING	10012	1				